## COMPLETE LISTING OF CLAIMS

Please cancel claims 13, 14, 25, and 34-37 without prejudice. Please rewrite claims 11, 20, 21, 26, 28-30, 32, 33, 38, 42, 49, 54, and 55 as indicated below.

1. (Original) A method of estimating a parameter of a local maxima or minima of a function comprising:

performing interpolation on samples of the function at or near a local maxima or minima, resulting in an interpolated local maxima or minima;

deriving an interpolation offset comprising a deviation between locations of the interpolated local maxima or minima and a sampled local maxima or minima; and deriving an estimate of the parameter from the interpolation offset.

- 2. (Original) The method of claim 1 wherein the function is a correlation function.
- 3. (Original) The method of claim 2 wherein the correlation function is derived from a received signal.
- 4. (Original) The method of claim 2 wherein the second deriving step comprises deriving a parameter bias from the interpolation offset using a pre-existing relationship that is present between these two variables and then deriving an estimate of the parameter from the parameter bias.
- 5. (Original) The method of claim 4 wherein the interpolation offset comprises a deviation between locations of interpolated and sampled peaks along a code phase dimension.
- 6. (Original) The method of claim 5 wherein the parameter bias is a code phase bias.

7. (Original) The method of claim 6 wherein the parameter which is estimated is location of a peak along the code phase dimension, and an estimate of this parameter is derived from the code phase bias.

- 8. (Original) The method of claim 4 wherein the interpolation offset comprises a deviation between locations of interpolated and sampled peaks along a Doppler frequency dimension.
- 9. (Original) The method of claim 8 wherein the parameter bias is a Doppler frequency bias.
- 10. (Original) The method of claim 9 wherein the parameter which is estimated is location of a peak of the function along the Doppler frequency dimension, and an estimate of this parameter is derived from the Doppler frequency bias.
- 11. (Currently amended) The method of elaim 5 claim 4 wherein the parameter bias is a peak energy bias.
- 12. (Original) The method of claim 11 wherein the parameter which is estimated is peak energy, and an estimate of this parameter is derived from the peak energy bias.
  - 13. (Cancelled)
  - 14. (Cancelled)
- 15. (Original) The method of claim 4 wherein the pre-existing relationship between the interpolation offset and the parameter bias is embodied as a lookup table.
- 16. (Original) The method of claim 15 wherein the second deriving step comprises directly deriving an estimate of the parameter from the interpolation offset through an access to the lookup table.

17. (Original) A memory tangibly embodying a lookup table, the lookup table implementing a pre-existing relationship between an interpolation offset and a parameter bias or parameter estimate, and the interpolation offset comprising a deviation between locations of interpolated and sampled local maxima or minima of a function.

- 18. (Original) The memory of claim 17 wherein the function is a correlation function.
- 19. (Original) The memory of claim 18 wherein the correlation function is derived from a received signal.
- 20. (Currently amended) The memory of claim 18 wherein an access to the lookup table yields [[a]] the parameter bias.
- 21. (Currently amended) The memory of claim 18 wherein an access to the lookup table yields [[a]] the parameter estimate.
- 22. (Original) The memory of claim 20 wherein the interpolation offset comprises a deviation between locations of interpolated and sampled peaks along a code phase dimension.
- 23. (Original) The memory of claim 22 wherein the parameter bias is a code phase bias.
- 24. (Original) The memory of claim 23 wherein the parameter estimate is an estimate of the location of a peak along a code phase dimension.
  - 25. (Cancelled)
- 26. (Currently amended) The memory of claim 22 claim 17 wherein the parameter bias is a peak energy bias.
- 27. (Original) The memory of claim 26 wherein the parameter estimate is an estimate of peak energy.

020026 10/687,478

28. (Currently amended) The memory of claim 27 claim 26 wherein the parameter estimate comprises a sum of interpolated peak energy and [[a]] the peak energy bias.

- 29. (Currently amended) The memory of claim 27 claim 26 wherein the parameter estimate comprises a sum of sampled peak energy and [[a]] the peak energy bias.
- 30. (Currently amended) The memory of elaim 20 claim 17 wherein the interpolation offset comprises a deviation between locations of interpolated and sampled peaks along a Doppler frequency dimension.
- 31. (Original) The memory of claim 30 wherein the parameter bias is a Doppler frequency bias.
- 32. (Currently amended) The memory of claim 31 wherein the parameter estimate is an estimate of the location of a peak along [[a]] the Doppler frequency dimension.
- 33. (Currently amended) The memory of claim 32 claim 31 wherein the parameter estimate comprises a sum of the interpolation offset and [[a]] the Doppler frequency bias.
  - 34. (Cancelled)
  - 35. (Cancelled)
  - 36. (Cancelled)
  - 37. (Cancelled)
- 38. (Currently amended) A system comprising a processor and the <u>The</u> memory of claim 17 <u>in combination with a processor</u>, wherein the processor is configured to access the lookup table tangibly embodied by the memory.

39. (Original) A memory tangibly embodying a sequence of software instructions for performing a method of estimating a parameter of a local maxima or minima of a function comprising:

performing interpolation on samples of the function at or near a local maxima or minima, resulting in an interpolated local maxima or minima;

deriving an interpolation offset comprising a deviation between locations of the interpolated local maxima or minima and a sampled local maxima or minima; and deriving an estimate of the parameter from the interpolation offset.

- 40. (Original) The memory of claim 39 wherein the function is a correlation function.
- 41. (Original) The memory of claim 40 wherein the correlation function is derived from a received signal.
- 42. (Currently amended) The memory of claim 40 wherein the second deriving step deriving an estimate of the parameter from the interpolation offset comprises deriving a parameter bias from the interpolation offset using a pre-existing relationship which is present between these two variables and deriving an estimate of the parameter from the parameter bias.
- 43. (Original) The memory of claim 42 wherein the interpolation offset comprises a deviation between locations of interpolated and sampled peaks along a code phase dimension.
- 44. (Original) The memory of claim 43 wherein the parameter bias is a code phase bias.
- 45. (Original) The memory of claim 44 wherein the parameter is location of a peak along the code phase dimension, and an estimate of this parameter is derived from the code phase bias.
- 46. (Original) The memory of claim 42 wherein the interpolation offset comprises a deviation between locations of interpolated and sampled peaks along a Doppler frequency dimension.

47. (Original) The memory of claim 46 wherein the parameter bias is a Doppler frequency bias.

- 48. (Original) The memory of claim 47 wherein the parameter which is estimated is location of a peak of the function along the Doppler frequency dimension, and an estimate of this parameter is derived from the Doppler frequency bias.
- 49. (Currently amended) The memory of claim 46 claim 42 wherein the parameter bias is a peak energy bias.
- 50. (Original) The memory of claim 49 wherein the parameter which is estimated is peak energy, and an estimate of this parameter is derived from the peak energy bias.
- 51. (Original) The memory of claim 46 wherein the parameter bias is a peak energy bias.
- 52. (Original) The memory of claim 51 wherein the parameter which is estimated is peak energy, and an estimate of this parameter is derived from the peak energy bias.
- 53. (Original) The memory of claim 42 wherein the pre-existing relationship between the interpolation offset and the parameter bias is embodied as a lookup table.
- 54. (Currently amended) A system comprising a processor and the The memory of claim 39 in combination with a processor, wherein the processor in configured to access and execute the sequence of software instructions tangibly embodied by the memory.
- 55. (Currently amended) A method of An apparatus for estimating a parameter of a local maxima or minima of a function comprising:

a step means for performing interpolation on samples of the function at or near a local maxima or minima, resulting in an interpolated local maxima or minima;

020026 10/687,478

a step means for deriving an interpolation offset comprising a deviation between locations of the interpolated local maxima or minima and a sampled local maxima or minima; and

a step means for deriving an estimate of the parameter from the interpolation offset.